JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 437 (1992)

AUTHOR INDEX

Abel, E.W., (437) 191
Al-Juaid, S.S., (437) 41
An, Z., (437) 375
Anderson, D.G., (437) C7
Anderson, R.J., (437) 227
Anwar, N., (437) C7
Aupers, J.H., (437) 131
Aylett, B.J., (437) C7

Battaglia, L.P., (437) 375
Behm, J., (437) C29
Besser, S., (437) 299
Blaschette, A., (437) 279
Boothman, J., (437) 201
Borgdorff, J., (437) 323
Böttcher, H.-C., (437) 307
Buncel, E., (437) 85
Bush, M., (437) 57

Catellani, M., (437) 369, 375
Chiusoli, G.P., (437) 369, 375
Cintrat, J.-C., (437) C19
Clark, E.N., (437) 145
Courtneidge, J.L., (437) 57

Dalcanale, E., (437) 375
Davidson, I.M.T., (437) 1
Deacon, G.B., (437) 239
Ditzel, E.J., (437) 323
Dixon, R.M., (437) 227
Duffy, N.W., (437) 323

Eaborn, C., (437) 41
Earwaker, L.G., (437) C7
Edelmann, F.T., (437) 299
Edlund, U., (437) 85

Farr, J.P.G., (437) C7
Faulks, S.J., (437) 239
Fenske, D., (437) 307
Fischer, G., (437) 307
Fischer, R.A., (437) C29
Frauenhoff, G.R., (437) 347

Golding, B.T., (437) 227
Gornitzka, H., (437) 299

Habtemariam, A., (437) 41
Hampson, D., (437) 131
Han, J.S., (437) 265
Harrison, P.G., (437) 145
Hawari, J., (437) 91
Henrick, K., (437) 157
Herbst-Irmer, R., (437) 299
Herdtweck, E., (437) C29
Herrmann, W.A., (437) 363
Hippel, I., (437) 279
Hitchcock, P.B., (437) 177, 41
Hogarth, G., (437) 201
Hong, J.-H., (437) 265
Howard, J.A.K., (437) 177
Howie, R.A., (437) 111
Hudson, H.R., (437) 157
Hursthouse, M.B., (437) 191
Hux, J.E., (437) 251

Jackson, R.A., (437) 77
Jacob, K., (437) 299
Jones, P.G., (437) 279
Jung, I.N., (437) 265

Karpinski, Z.J., (437) 211
Keen, J.M., (437) C7
Kennedy, J.D., (437) C1
Kilimann, U., (437) 299
Kochi, J.K., (437) 211
Kowall, B., (437) 127
Krahl, J., (437) 279
Kronseder, C., (437) C29
Kwon, H.A., (437) C13

Lappert, M.F., (437) 177
Lee, G.-H., (437) 265
Liu, J.-C., (437) 347
Low, J.N., (437) 111
Lyons, J.E., (437) 165

Mazid, M.A., (437) 191
McPartlin, M., (437) 157
Mitchell, T.N., (437) 127

Nasir, M.I., (437) C7
Nestor, K., (437) C1
Neumann, W.P., (437) 23

Orrell, K.G., (437) 191

Parrain, J.-L., (437) C19
Pasynkiewicz, S., (437) 99
Pereyre, M., (437) C13
Peters, K., (437) C25
Pola, J., (437) 271
Povey, D.C., (437) 131
Powroznyk, L., (437) 157
Prashar, S., (437) 177
Puddephatt, R.J., (437) 251

Quintard, J.-P., (437) C19

Rahoo, H., (437) 191
Ritschl, A., (437) C25
Robinson, B.H., (437) 323

Samuel-Lewis, A., (437) 131
Scheer, M., (437) 307
Schiesser, C.H., (437) 165
Sebald, A., (437) 279
Shapley, J.R., (437) 347
Shaw, L.S., (437) 157
Šik, V., (437) 191
Simpson, J., (437) 323
Smith, J.D., (437) 41
Smith, P.J., (437) 131
Spencer, G.M., (437) 111
Štíbr, B., (437) C1
Stiebahl, K., (437) C7
Süss-Fink, G., (437) 307

Tagliavini, G., (437) 15
Taylor, R., (437) 271
Thornton-Pett, M., (437) C1

Venkatachalam, T.K., (437) 85
Verlhac, J.-B., (437) C13
von Schnering, H.G., (437) C25

Walther, B., (437) 307
Wardell, J.L., (437) 111
Watzlowik, P., (437) 363
Weidenbruch, M., (437) C25
Wieland, E., (437) 279
Wilson, S.R., (437) 347

Zammit, G.S.A., (437) C1
Ziemkowska, W., (437) 99

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 437 (1992)

SUBJECT INDEX

Aluminium

Reactions of trimethylaluminium with 2-[methyl-bis(trimethylsiloxy)silyl]but-2-ene-1,4-diol: synthesis and structure of $[Al(CH_3)][OCH_2(SiMe(OSiMe_3)_2)C{=}C(H)CH_2O]_2[Al(CH_3)_2]_2$ (S. Pasynkiewicz and W. Ziemkowska), (437) 99

Stereoselective opening of chiral α-stannylacetals with organometallic reagents (J.-L. Parrain, J.-C. Cintrat and J.-P. Quintard), (437) C19

Boron

Steric and metal-centre control of two-, three- and four-orbital carborane–metal interaction in tin and platinum complexes of the $\{C_2B_8H_9X\}$ ligand, where X = H and Ph (J.D. Kennedy, K. Nestor, B. Štíbr, M. Thornton-Pett and G.S.A. Zammit), (437) C1

Cadmium

Reactions of sterically hindered organozinc and organocadmium compounds containing functional silicon centres. Crystal structures of $Zn[C(SiMe_3)_2(SiMe_2OCOCF_3)]_2$ and $Cd[C(SiMe_3)_2(SiMe_2OMe)]_2$ (S.S. Al-Juaid, C. Eaborn, A. Habtemariam, P.B. Hitchcock and J.D. Smith), (437) 41

Chalcogenides

Diferrocenyldichalkogenide: Synthese und Struktur von Bis[2-(dimethylaminomethyl)ferrocenyl]diselenid (H. Gornitzka, S. Besser, R. Herbst-Irmer, U. Kilimann, F.T. Edelmann und K. Jacob), (437) 299

Chromium

Static and dynamic structures of pentacarbonyl-chromium(0) and -tungsten(0) complexes of dithioether ligands. I. Symmetrical dithioether complexes and X-ray crystal structure of $[W(CO)_5(^tBuSCH_2S^tBu)]$ (E.W. Abel, K.G. Orrell, H. Rahoo, V. Šik, M.A. Mazid and M.B. Hursthouse), (437) 191

Cobalt

Alkylcobalamins: formation by enantioselective alkylation of cob(I)alamin, ^1H NMR spectra, and conformational analysis of the alkyl group (R.J. Anderson, R.M. Dixon and B.T. Golding), (437) 227

Synthese, Charakterisierung und Reaktivität heterodinuklearer Komplexe: $[(CO)_4Fe(\mu\text{-}P^tBu_2)Rh(CO)L](Fe–Rh)$ (L = CO, HP^tBu_2), $[(CO)_3Co(\mu\text{-}H)(\mu\text{-}P^tBu_2)Rh(CO)(HP^tBu_2)](Co–Rh)$ (B. Walther, H.-C. Böttcher, M. Scheer, G. Fischer, D. Fenske und G. Süss-Fink), (437) 307

Copper

Stereoselective opening of chiral α-stannylacetals with organometallic reagents (J.-L. Parrain, J.-C. Cintrat and J.-P. Quintard), (437) C19

Europium

The first examples of intermolecular weak (agostic) γ-methyl–metal interactions in organolanthanide complexes: the synthesis and X-ray structures of $[\{Yb(\eta\text{-}Cp'')_2\}_\infty]$ and $[\{Eu(\eta\text{-}Cp'')_2\}_\infty]$ [$Cp'' = C_5H_3(SiMe_3)_2$-1,3] (P.B. Hitchcock, J.A.K. Howard, M.F. Lappert and S. Prashar), (437) 177

Gallium

Organoerdmetall-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl(η^5-cyclopentadienyl)nickel] zum Carbonyl(η^5-cyclopentadienyl)nickel-Anion durch C_8K. Synthese und Struktur von (η^5-C_5H_5)(CO)Ni–Ga[$CH_2C(CH_3)_3$]$_2$(OC_4H_8) (R.A. Fischer, J. Behm, E. Herdtweck und C. Kronseder), (437) C29

Germanium

Addition of sulphenyl halides to alkenyl–metal compounds. III. Arenesulphenyl chloride additions to triethoxy- and triphenylvinylsilanes and to triphenylvinylgermanium. Crystal structure of (4-Me-2-$O_2NC_6H_3S$)CH($SiPh_3$)CH_2Cl (R.A. Howie, G.M. Spencer, J.L. Wardell and J.N. Low), (437) 111

Excimer laser photolysis of tetramethylgermane (J. Pola and R. Taylor), (437) 271

Verbindungen des Germaniums und Zinns. XII. Ein Telluratrigermetan durch Tellur-Insertion in ein Cyclotrigerman (M. Weidenbruch, A. Ritschl, K. Peters und H.G. von Schnering), (437) C25

Organoerdmetall-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl(η^5-cyclopentadienyl)nickel] zum Carbonyl(η^5-cyclopentadienyl)nickel-Anion durch C_8K. Synthese und Struktur von (η^5-C_5H_5)(CO)Ni–Ga[$CH_2C(CH_3)_3$]$_2$(OC_4H_8) (R.A. Fischer, J. Behm, E. Herdtweck und C. Kronseder), (437) C29

Indium

Organoerdmetall-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl(η^5-cyclopentadienyl)nickel] zum Carbonyl(η^5-cyclopentadienyl)nickel-Anion durch C_8K. Synthese und Struktur von (η^5-C_5H_5)(CO)Ni–Ga[$CH_2C(CH_3)_3$]$_2$(OC_4H_8) (R.A. Fischer, J. Behm, E. Herdtweck und C. Kronseder), (437) C29

Iridium

Decarboxylation syntheses of transition metal organometallics. VI. Preparations of polyfluorophenyliridium(I) compounds (G.B. Deacon and S.J. Faulks), (437) 239

Iron

The reactivity of bridging hydride ligands at the di-iron centre. Synthesis and reactivity towards alkynes of [$Fe_2(CO)_6$(μ-H)(μ-CO)(μ-dppm)][BF_4]. X-ray crystal structure of [$Fe_2(CO)_6$(μ-PhC=CH_2)(μ-dppm)][BF_4] (J. Boothman and G. Hogarth), (437) 201

Catalytic de-ligation of bis(arene)iron dications upon electro-reduction (Z.J. Karpinski and J.K. Kochi), (437) 211

Diferrocenyldichalkogenide: Synthese und Struktur von Bis[2-(dimethylaminomethyl)ferrocenyl]diselenid (H. Gornitzka, S. Besser, R. Herbst-Irmer, U. Kilimann, F.T. Edelmann und K. Jacob), (437) 299

Synthese, Charakterisierung und Reaktivität heterodinuklearer Komplexe: [$(CO)_4$Fe(μ-P^tBu_2)Rh(CO)L](Fe–Rh) (L = CO, HP^tBu_2), [$(CO)_3$Co(μ-H)(μ-P^tBu_2)Rh(CO)(HP^tBu_2)](Co–Rh) (B. Walther, H.-C. Böttcher, M. Scheer, G. Fischer, D. Fenske und G. Süss-Fink), (437) 307

Synthesis, structure and redox chemistry of ferrocenylsilylmethylidinetricobaltnonacarbonyl complexes, $FcSi(R)_2CCo_3(CO)_9$, 1,1′-Fc′[$Si(R)_2CCo_3(CO)_9$]$_2$ (R = Me, Et, Ph) and their derivatives (J. Borgdorff, E.J. Ditzel, N.W. Duffy, B.H. Robinson and J. Simpson), (437) 323

Lithium

Stereoselective opening of chiral α-stannylacetals with organometallic reagents (J.-L. Parrain, J.-C. Cintrat and J.-P. Quintard), (437) C19

Mercury

β-Peroxyalkyl radicals and their role in the generation of epoxides during the autoxidation of alkenes. An example of the interplay of free radical, peroxide and organometallic chemistries (J.L. Courtneidge and M. Bush), (437) 57

The thermal decomposition of dibenzylmercury: a suitable model reaction for determination of substituent effects on radical stability? (R.A. Jackson), (437) 77

Metallocenes

The first examples of intermolecular weak (agostic) γ-methyl–metal interactions in organolanthanide complexes: the synthesis and X-ray structures of $[\{Yb(\eta\text{-}Cp'')_2\}_2]$ and $[\{Eu(\eta\text{-}Cp'')_2\}_2]$ [$Cp'' = C_5H_3(SiMe_3)_2$-1,3] (P.B. Hitchcock, J.A.K. Howard, M.F. Lappert and S. Prashar), (437) 177

Diferrocenyldichalkogenide: Synthese und Struktur von Bis[2-(dimethylaminomethyl)ferrocenyl]diselenid (H. Gornitzka, S. Besser, R. Herbst-Irmer, U. Kilimann, F.T. Edelmann und K. Jacob), (437) 299

Synthesis, structure and redox chemistry of ferrocenylsilylmethylidinetricobaltnonacarbonyl complexes, $FcSi(R)_2CCo_3(CO)_9$, 1,1′-$Fc'[Si(R)_2CCo_3(CO)_9]_2$ (R = Me, Et, Ph) and their derivatives (J. Borgdorff, E.J. Ditzel, N.W. Duffy, B.H. Robinson and J. Simpson), (437) 323

Nickel

Organoerdmetall-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl(η^5-cyclopentadienyl)nickel] zum Carbonyl(η^5-cyclopentadienyl)nickel-Anion durch C_8K. Synthese und Struktur von $(\eta^5\text{-}C_5H_5)(CO)Ni\text{–}Ga[CH_2C(CH_3)_3]_2(OC_4H_8)$ (R.A. Fischer, J. Behm, E. Herdtweck und C. Kronseder), (437) C29

Osmium

Triosmium carbonyl cluster complexes of bridging phosphonate, arsonate, and phosphinate ligands (G.R. Frauenhoff, J.-C. Liu, S.R. Wilson and J.R. Shapley), (437) 347

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXV. Dihalogenoxoosmium(VI)-Komplexe des Pinakols: Synthese, Spektroskopie und Alkylierung (W.A. Herrmann und P. Watzlowik), (437) 363

Palladium

A simple direct synthesis of an alkylaromatic palladacycle (M. Catellani and G.P. Chiusoli), (437) 369

Palladium-catalyzed norbornene–carbon monoxide co-oligomerization initiated by aryl groups and terminated by double bond formation (E. Dalcanale, Z. An, L.P. Battaglia, M. Catellani and G.P. Chiusoli), (437) 375

Phosphorus

Quasiphosphonium intermediates. VI. Crystal structure of neopentyloxy(phenacyl)diphenylphosphonium bromide: a stable Michaelis–Arbuzov intermediate formed in the reaction of neopentyl diphenylphosphinite with phenacyl bromide (K. Henrick, H.R. Hudson, M. McPartlin, L. Powroznyk and L.S. Shaw), (437) 157

Synthese, Charakterisierung und Reaktivität heterodinuklearer Komplexe: $[(CO)_4Fe(\mu\text{-}P^tBu_2)Rh(CO)L](Fe\text{–}Rh)$ (L = CO, HP^tBu_2), $[(CO)_3Co(\mu\text{-}H)(\mu\text{-}P^tBu_2)Rh(CO)(HP^tBu_2)](Co\text{–}Rh)$ (B. Walther, H.-C. Böttcher, M. Scheer, G. Fischer, D. Fenske und G. Süss-Fink), (437) 307

Platinum

Photochemistry of mononuclear and binuclear tetramethylplatinum(IV) complexes: reactivity of an organometallic free radical (J.E. Hux and R.J. Puddephatt), (437) 251

Steric and metal-centre control of two-, three- and four-orbital carborane–metal interaction in tin and platinum complexes of the $\{C_2B_8H_9X\}$ ligand, where X = H and Ph (J.D. Kennedy, K. Nestor, B. Štíbr, M. Thornton-Pett and G.S.A. Zammit), (437) C1

Rhodium

Synthese, Charakterisierung und Reaktivität heterodinuklearer Komplexe: $[(CO)_4Fe(\mu\text{-}P^tBu_2)Rh(CO)L](Fe\text{–}Rh)$ (L = CO, HP^tBu_2), $[(CO)_3Co(\mu\text{-}H)(\mu\text{-}P^tBu_2)Rh(CO)(HP^tBu_2)](Co\text{–}Rh)$ (B. Walther, H.-C. Böttcher, M. Scheer, G. Fischer, D. Fenske und G. Süss-Fink), (437) 307

Selenium

An *ab initio* study of some free radical homolytic substitution reactions at selenium (J.E. Lyons and C.H. Schiesser), (437) 165

Diferrocenyldichalkogenide: Synthese und Struktur von Bis[2-(dimethylaminomethyl)ferrocenyl]diselenid (H. Gornitzka, S. Besser, R. Herbst-Irmer, U. Kilimann, F.T. Edelmann und K. Jacob), (437) 299

Silicon

Silicon knocked into a cocked hat (I.M.T. Davidson), (437) 1

Reactions of sterically hindered organozinc and organocadmium compounds containing functional silicon centres. Crystal structures of $Zn[C(SiMe_3)_2(SiMe_2OCOCF_3)]_2$ and $Cd[C(SiMe_3)_2(SiMe_2OMe)]_2$ (S.S. Al-Juaid, C. Eaborn, A. Habtemariam, P.B. Hitchcock and J.D. Smith), (437) 41

Carbanion mechanisms. XVIII. Generation of silyl anions by nucleophilic cleavage of disilanes (E. Buncel, T.K. Venkatachalam and U. Edlund), (437) 85

Regioselectivity of dechlorination: reductive dechlorination of polychlorobiphenyls by polymethylhydrosiloxane-alkali metal (J. Hawari), (437) 91

Reactions of trimethylaluminium with 2-[methyl-bis(trimethylsiloxy)silyl]but-2-ene-1,4-diol: synthesis and structure of $[Al(CH_3)][OCH_2(SiMe(OSiMe_3)_2)C{=}C(H)CH_2O]_2[Al(CH_3)_2]_2$ (S. Pasynkiewicz and W. Ziemkowska), (437) 99

Addition of sulphenyl halides to alkenyl–metal compounds. III. Arenesulphenyl chloride additions to triethoxy- and triphenylvinylsilanes and to triphenylvinylgermanium. Crystal structure of (4-Me-2-$O_2NC_6H_3S)CH(SiPh_3)CH_2Cl$ (R.A. Howie, G.M. Spencer, J.L. Wardell and J.N. Low), (437) 111

A convenient synthesis of 1,3-disilacyclobutanes (J.-H. Hong, J.S. Han, G.-H. Lee and I.N. Jung), (437) 265

Chemical vapour deposition of metals and metal silicides on the internal surfaces of porous silicon (D.G. Anderson, N. Anwar, B.J. Aylett, L.G. Earwaker, M.I. Nasir, J.P.G. Farr, K. Stiebahl and J.M. Keen), (437) C7

Organoerdmetall-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl(η^5-cyclopentadienyl)nickel] zum Carbonyl(η^5-cyclopentadienyl)nickel-Anion durch C_8K. Synthese und Struktur von (η^5-C_5H_5)(CO)Ni–Ga[$CH_2C(CH_3)_3]_2(OC_4H_8)$ (R.A. Fischer, J. Behm, E. Herdtweck und C. Kronseder), (437) C29

Tellurium

Diferrocenyldichalkogenide: Synthese und Struktur von Bis[2-(dimethylaminomethyl)ferrocenyl]diselenid (H. Gornitzka, S. Besser, R. Herbst-Irmer, U. Kilimann, F.T. Edelmann und K. Jacob), (437) 299

Tin

Use of organotin halides as catalytic precursors in dehydration processes (G. Tagliavini), (437) 15

Tin for organic synthesis. VI. The new role of organotin reagents in organic synthesis Part 1: Stannyl groups as leaving groups in electrophilic substitutions Part 2: Polymer-supported organotin reagents for organic synthesis (W.P. Neumann), (437) 23

The first synthesis of 1,1,2-tristannylalkenes (T.N. Mitchell and B. Kowall), (437) 127

Preparation, spectroscopic studies and structure of bis(triorganostannyl) esters of substituted aliphatic dicarboxylic acids (A. Samuel-Lewis, P.J. Smith, J.H. Aupers, D. Hampson and D.C. Povey), (437) 131

FT-IR study of the gas phase thermal decomposition of dimethyldivinyltin in the presence of oxygen (P.G. Harrison and E.N. Clark), (437) 145

Polysulfonylamine. XXXV. Synthese, Röntgenstrukturanalysen und hochaufgelöste Festkörper-NMR-Spektren der ionischen Organozinn(IV)-dimesylamide $[Me_3Sn(NH_3)_2][N(SO_2Me)_2]$ und $[Me_2Sn(DMSO)_4][N(SO_2Me)_2]_2$ (A. Blaschette, I. Hippel, J. Krahl, E. Wieland, P.G. Jones und A. Sebald), (437) 279

Steric and metal-centre control of two-, three- and four-orbital carborane–metal interaction in tin and platinum complexes of the $\{C_2B_8H_9X\}$ ligand, where X = H and Ph (J.D. Kennedy, K. Nestor, B. Štíbr, M. Thornton-Pett and G.S.A. Zammit), (437) C1

Synthesis of acylsilanes via transmetalation of 1-triorganosilyloxyvinyltin derivatives (J.-B. Verlhac, H.A. Kwon and M. Pereyre), (437) C13

Stereoselective opening of chiral α-stannylacetals with organometallic reagents (J.-L. Parrain, J.-C. Cintrat and J.-P. Quintard), (437) C19

Organoerdmetall-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl(η^5-cyclopentadienyl)nickel] zum Carbonyl(η^5-cyclopentadienyl)nickel-Anion durch C_8K. Synthese und Struktur von (η^5-C_5H_5)(CO)Ni–Ga[$CH_2C(CH_3)_3$]$_2$(OC_4H_8) (R.A. Fischer, J. Behm, E. Herdtweck und C. Kronseder), (437) C29

Tungsten

Static and dynamic structures of pentacarbonyl-chromium(0) and -tungsten(0) complexes of dithioether ligands. I. Symmetrical dithioether complexes and X-ray crystal structure of [$W(CO)_5$(^{t}BuSCH_2-S^{t}Bu)] (E.W. Abel, K.G. Orrell, H. Rahoo, V. Šik, M.A. Mazid and M.B. Hursthouse), (437) 191

Ytterbium

The first examples of intermolecular weak (agostic) γ-methyl–metal interactions in organolanthanide complexes: the synthesis and X-ray structures of [{Yb(η-Cp″)$_2$}$_x$] and [{Eu(η-Cp″)$_2$}$_x$] [Cp″ = $C_5H_3(SiMe_3)_2$-1,3] (P.B. Hitchcock, J.A.K. Howard, M.F. Lappert and S. Prashar), (437) 177

Zinc

Reactions of sterically hindered organozinc and organocadmium compounds containing functional silicon centres. Crystal structures of Zn[$C(SiMe_3)_2(SiMe_2OCOCF_3)$]$_2$ and Cd[$C(SiMe_3)_2(SiMe_2$-OMe)]$_2$ (S.S. Al-Juaid, C. Eaborn, A. Habtemariam, P.B. Hitchcock and J.D. Smith), (437) 41

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXV. Dihalogenoxo-osmium(VI)-Komplexe des Pinakols: Synthese, Spektroskopie und Alkylierung (W.A. Herrmann und P. Watzlowik), (437) 363

Book reviews

Hazardous Metals in the Environment, M. Stoeppler (Ed.) (G.J. Leigh), (437) C35

Environmental analysis using chromatography interfaced with atomic spectroscopy, R.M. Harrison and S. Rapsomanikis (Eds.) (G.J. Leigh), (437) C35

Introduction to cluster chemistry, D.M.P. Mingos and D.J. Wales (G. Cloke), (437) C36